



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 672

3

June
Junie

2021

No. 44655

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845



9 771682 584003

4 4 6 5 5



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

No FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

<i>No.</i>		<i>Gazette No.</i>	<i>Page No.</i>
GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS			
Transport, Department of / Vervoer, Departement van			
484	South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998): Declaration Amendment of National Road R573 Section 2	44655	3
484	Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998): Verklaring Wysiging van Nasionale Pad R573 Seksie 2	44655	4

GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

Department of Transport

NO. 484

3 June 2021


**THE SOUTH AFRICAN NATIONAL ROADS
AGENCY SOC LIMITED****Registration No: 1998/009584/30**

DECLARATION AMENDMENT OF NATIONAL ROAD R573 SECTION 2

AMENDMENT OF DECLARATION No 650 OF 2015.

By virtue of section 40(1)(b) of the South African National Roads Agency Limited and the National Roads Act 1998 (Act No. 7 of 1998), I hereby amend Declaration No. 650 of 2015 by substituting paragraph (l) of the Schedule, with the accompanying sheets 1 to 34 of Plan No. P1013/17.

**(National Road R573 Section 2: Gauteng / Mpumalanga Provincial Border –
Mpumalanga / Limpopo Provincial Border)**



MINISTER OF TRANSPORT

DEPARTEMENT VAN VERVOER

NO. 484

3 Junie 2021

**DIE SUID-AFRIKAANSE NASIONALE
PADAGENTSKAP MSB BEPERK**

Registrasie No: 1998/009584/30

VERKLARING WYSIGING VAN NASIONALE PAD R573 SEKSIE 2


WYSIGING VAN VERKLARING No. 650 VAN 2015.

Kragtens Artikel 40(1)(b) van die Suid-Afrikaanse Nasionale Padagentskap Beperk en Nasionale Paaie Wet 1998 (Wet No. 7 van 1998), wysig ek hiermee Verklaring No. 650 van 2015 deur paragraaf (l) van die Skedule te vervang, met bygaande velle 1 tot 34 van Plan No. P1013/17.


**(Nasionale Pad R573 Seksie 2: Gauteng / Mpumalanga Provinsiale Grens –
Mpumalanga / Limpopo Provinsiale Grens)**




MINISTER VAN VERVOER




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stelt die podreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route</p>	<p>Vel Sheet 1 van of 34 Plan P1013/17</p>
		<p>2</p>	<p>2</p>




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route	Vel Sheet 2 of 34 Plan P1013/17
			Seksie 2




Vel Sheet 3 of 34 Plan P1013/17	stelde padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 Seksie Section of National Route	Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd Die figuur getoon The figure shown
------------------------------------	---	--




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stede padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route</p>	<p>Vel Sheet 4 of 34 Plan P1013/17</p>
		<p>2</p>	<p>Section</p>




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>ste die padreserwe voor 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route R573</p>	<p>Seksie 2 Section</p>	<p>Vel 5 van 34 Sheet of</p>	<p>Plan P1013/17</p>
---	---	---	-----------------------------	----------------------------------	----------------------




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 Seksie of National Route R573 Section</p>	<p>Vel Sheet 6 of 34 Plan P1013/17</p>
---	---	--	--




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>steltie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 Sektie of National Route R573 Section</p>	<p>Vel Sheet 7 of 34</p> <p>Plan P1013/17</p>
---	---	--	---




<p>Die Suid Afrikaanse Nasionale Padtoegskop MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route</p>	<p>Vel Sheet 8 of 34</p>
<p>Plan P1013/17</p>		<p>Seksie Section 2</p>	<p>Plan P1013/17</p>




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	Die figuur getoon The figure shown	stei die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route	Vel Sheet 9 of 34 Plan P1013/17
---	---------------------------------------	---------------------------------------	---	------------------------------------







<p>Die Suid Afrikaanse Nasionale Padogenetskop MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stede padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route</p>	<p>Vel Sheet 11 of 34 Plan P1013/17</p>
<p>REM PTN 4</p>		<p>REM PTN 5</p>	<p>REM PTN 1</p>




<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stei die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 Seksie of National Route Section</p>	<p>Vel Sheet 12 of 34 Plan P1013/17</p>
---	---	--	---



<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route</p>	<p>Vel Sheet 13 of 34 Plan P1013/17</p>
		<p>2</p>	<p>Seksie Section</p>



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route	Vel Sheet 14 of 34 Plan P1013/17
---	---------------------------------------	--	-------------------------------------




Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete of National Route	Vel Sheet 15 of 34 Plan P1013/17
---	---------------------------------------	---	--


2


R573


Seksie
Section





Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown	stedie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 Seksie of National Route R573 Section	Val Sheet 16 of 34
		2	Plan P1013/17



Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd	Die figuur getoon The figure shown		steldie padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 of National Route Section 2	Vel Sheet 17 of 34 Plan P1013/17
---	---------------------------------------	---	--	-------------------------------------



<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>		<p>stelt die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 Sektie of National Route R573 Section</p>	<p>Vel Sheet 18 van 34 of Plan P1013/17</p>
---	---	---	--	---



<p>Die Suid Afrikaanse Nasionale Padagentskap MSB Bpk The South African National Roads Agency SOC Ltd</p>	<p>Die figuur getoon The figure shown</p>	<p>stel die padreserwe voor van 'n gedeelte represents the road reserve of a portion van Nasionale Roete R573 Seksie of National Route R573 Section</p>	<p>Vel Sheet 19 of 34 Plan P1013/17</p>
---	---	---	---

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L1	37 429.66	2 817 047.37		R1	37 395.41 2 817 086.86
L2	37 401.75	2 817 035.77		R2	37 340.31 2 817 058.88
L3	37 337.32	2 817 007.64		R3	37 327.15 2 817 052.19
L4	37 310.98	2 816 978.27		R4	37 281.80 2 817 046.41
L5	37 307.00	2 816 963.65		R5	37 278.97 2 817 044.88
L6	37 315.65	2 816 935.22		R6	37 259.99 2 817 108.35
L7	37 318.87	2 816 924.65		R7	37 224.95 2 817 097.64
L8	37 280.52	2 816 913.48		R8	37 230.44 2 817 079.24
L9	37 268.84	2 816 951.70		R9	37 233.57 2 817 068.79
L10	37 188.79	2 816 932.28		R10	37 245.95 2 817 042.12
L11	37 181.69	2 816 927.92		R11	37 247.12 2 817 028.83
L12	37 144.49	2 816 905.12		R12	37 243.53 2 817 016.12
L13	37 092.63	2 816 874.89		R13	37 238.37 2 817 005.73
L14	37 000.83	2 816 817.22		R14	37 142.21 2 816 942.59
L15	36 919.32	2 816 761.34		R15	36 974.07 2 816 836.94
L16	36 767.98	2 816 670.92		R16	36 943.01 2 816 820.53
L17	36 650.29	2 816 596.97		R17	36 570.25 2 816 592.37
L18	36 565.59	2 816 543.75		R18	36 375.76 2 816 469.40
L19	36 483.04	2 816 487.16		R19	36 187.80 2 816 351.88
L20	36 454.04	2 816 456.95		R20	35 830.80 2 816 128.67
L21	36 440.21	2 816 442.54		R21	35 728.00 2 816 062.20
L22	36 435.50	2 816 421.86		R22	35 680.20 2 816 032.42
L23	36 414.33	2 816 408.56		R23	35 643.57 2 816 014.47
L24	36 393.65	2 816 413.28		R24	35 626.98 2 816 004.05
L25	36 350.07	2 816 401.96		R25	35 594.61 2 815 989.14
L26	36 278.03	2 816 363.08		R26	35 577.48 2 815 987.99
L27	36 057.55	2 816 224.54		R27	35 561.90 2 815 978.22
L28	36 031.13	2 816 206.44		R28	35 553.70 2 815 953.58
L29	35 975.00	2 816 167.96		R29	35 376.01 2 815 842.98
L30	35 932.18	2 816 123.34		R30	35 254.95 2 815 766.60
L31	35 927.47	2 816 102.66		R31	35 158.34 2 815 714.88
L32	35 906.30	2 816 089.53		R32	35 128.28 2 815 718.34
L33	35 885.60	2 816 094.12		R33	35 105.59 2 815 704.45
L34	35 871.30	2 816 090.36		R34	35 102.11 2 815 681.35
L35	35 824.70	2 816 078.24		R35	35 096.88 2 815 666.87
L36	35 602.14	2 815 938.41		R36	35 025.35 2 815 621.74
L37	35 584.20	2 815 910.15		R37	34 942.23 2 815 565.60
L38	35 571.54	2 815 902.19		R38	34 881.43 2 815 522.09
L39	35 560.47	2 815 900.50		R39	34 817.02 2 815 473.06
L40	35 526.16	2 815 886.18		R40	34 767.82 2 815 433.49
L41	35 504.86	2 815 872.79		R41	34 756.44 2 815 426.59
L42	35 470.74	2 815 855.52		R42	34 744.12 2 815 417.03
L43	35 274.78	2 815 731.79		R43	34 729.26 2 815 405.50
L44	35 239.44	2 815 699.32		R44	34 669.50 2 815 353.03
L45	35 187.75	2 815 651.81		R45	34 562.03 2 815 258.90
L46	35 146.52	2 815 626.02		R46	34 533.77 2 815 233.33
L47	35 082.67	2 815 601.07		R47	34 513.30 2 815 210.86
L48	35 043.52	2 815 585.77		R48	34 302.57 2 815 022.80
L49	34 955.91	2 815 526.32		R49	34 294.09 2 815 018.57
L50	34 881.30	2 815 472.12		R50	34 252.18 2 814 986.12
L51	34 818.78	2 815 423.50		R51	34 241.89 2 814 977.04

Vel 20 Van
Sheet of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L52	34 758.93	2 815 374.54		R52	34 223.90 2 814 968.43
L53	34 640.67	2 815 269.00		R53	34 198.39 2 814 969.98
L54	34 635.78	2 815 254.82		R54	34 182.10 2 814 955.44
L55	34 612.67	2 815 234.27		R55	34 182.68 2 814 930.59
L56	34 586.86	2 815 220.40		R56	34 179.04 2 814 912.61
L57	34 558.90	2 815 191.87		R57	33 902.62 2 814 665.98
L58	34 532.58	2 815 173.40		R58	33 855.49 2 814 628.44
L59	34 423.27	2 815 077.99		R59	33 840.71 2 814 615.54
L60	34 269.01	2 814 939.46		R60	33 812.52 2 814 596.27
L61	34 265.72	2 814 923.23		R61	33 804.09 2 814 594.73
L62	34 266.04	2 814 900.71		R62	33 785.26 2 814 583.58
L63	34 272.95	2 814 892.08		R63	33 780.40 2 814 565.23
L64	34 258.27	2 814 877.54		R64	33 739.84 2 814 520.75
L65	34 251.81	2 814 874.80		R65	33 489.27 2 814 297.17
L66	34 245.59	2 814 883.73		R66	33 439.48 2 814 252.78
L67	34 230.88	2 814 885.29		R67	33 353.50 2 814 186.61
L68	34 206.58	2 814 876.27		R68	33 323.85 2 814 185.01
L69	34 196.12	2 814 867.14		R69	33 316.88 2 814 193.75
L70	34 154.21	2 814 834.69		R70	33 311.18 2 814 197.52
L71	34 139.92	2 814 823.83		R71	33 293.32 2 814 183.25
L72	33 894.82	2 814 605.34		R72	33 295.63 2 814 176.76
L73	33 848.79	2 814 561.77		R73	33 303.21 2 814 167.31
L74	33 842.29	2 814 537.30		R74	33 303.65 2 814 146.67
L75	33 823.47	2 814 526.14		R75	33 301.30 2 814 129.37
L76	33 815.04	2 814 524.61		R76	33 022.32 2 813 880.53
L77	33 786.85	2 814 505.33		R77	32 992.83 2 813 854.21
L78	33 772.06	2 814 492.44		R78	32 948.21 2 813 818.82
L79	33 732.75	2 814 461.21		R79	32 933.42 2 813 805.92
L80	33 510.06	2 814 263.15		R80	32 905.23 2 813 786.65
L81	33 390.25	2 814 155.02		R81	32 896.80 2 813 785.11
L82	33 387.56	2 814 133.90		R82	32 877.98 2 813 773.96
L83	33 388.83	2 814 118.43		R83	32 873.11 2 813 755.61
L84	33 396.34	2 814 109.11		R84	32 833.60 2 813 712.14
L85	33 398.66	2 814 102.54		R85	32 664.54 2 813 561.30
L86	33 380.61	2 814 088.52		R86	32 564.51 2 813 472.05
L87	33 374.98	2 814 092.26		R87	32 481.30 2 813 408.29
L88	33 368.05	2 814 100.94		R88	32 451.65 2 813 406.70
L89	33 350.21	2 814 101.58		R89	32 444.67 2 813 415.43
L90	33 339.08	2 814 099.54		R90	32 438.98 2 813 419.21
L91	33 262.72	2 814 041.45		R91	32 421.12 2 813 404.94
L92	33 052.28	2 813 853.75		R92	32 423.42 2 813 398.45
L93	32 988.47	2 813 796.77		R93	32 431.00 2 813 388.99
L94	32 941.50	2 813 752.15		R94	32 431.44 2 813 368.36
L95	32 935.01	2 813 727.68		R95	32 429.09 2 813 351.20
L96	32 916.18	2 813 716.52		R96	32 094.34 2 813 052.53
L97	32 907.75	2 813 714.99		R97	32 063.97 2 813 030.52
L98	32 879.56	2 813 695.71		R98	32 049.23 2 813 017.15
L99	32 864.78	2 813 682.82		R99	32 019.55 2 812 997.06
L100	32 829.36	2 813 654.68		R100	32 001.83 2 812 992.81
L101	32 730.62	2 813 566.50		R101	31 989.56 2 812 981.67
L102	32 518.06	2 813 376.81		R102	31 987.41 2 812 967.75

Vel 21 Van 34
Sheet of

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L103	32 515.36	2 813 355.58		R103	31 948.92 2 812 922.77
L104	32 516.62	2 813 340.12		R104	31 605.84 2 812 616.67
L105	32 526.46	2 813 324.23		R105	31 580.75 2 812 597.78
L106	32 508.41	2 813 310.20		R106	31 523.40 2 812 553.51
L107	32 495.85	2 813 322.63		R107	31 493.75 2 812 551.92
L108	32 466.88	2 813 321.23		R108	31 481.08 2 812 564.43
L109	32 408.63	2 813 276.90		R109	31 463.23 2 812 550.16
L110	32 391.63	2 813 263.99		R110	31 473.11 2 812 534.21
L111	32 089.36	2 812 994.24		R111	31 473.55 2 812 513.58
L112	32 054.45	2 812 953.42		R112	31 471.23 2 812 496.55
L113	32 052.30	2 812 939.51		R113	31 386.80 2 812 421.22
L114	32 040.04	2 812 928.36		R114	31 316.81 2 812 357.35
L115	32 022.32	2 812 924.11		R115	31 283.55 2 812 325.52
L116	31 992.64	2 812 904.02		R116	31 248.89 2 812 291.28
L117	31 977.90	2 812 890.66		R117	31 183.11 2 812 223.08
L118	31 953.37	2 812 872.88		R118	31 119.53 2 812 152.82
L119	31 560.21	2 812 522.36		R119	31 058.23 2 812 080.57
L120	31 557.46	2 812 500.80		R120	30 999.26 2 812 006.41
L121	31 558.73	2 812 485.34		R121	30 892.13 2 811 867.45
L122	31 568.57	2 812 469.45		R122	30 685.56 2 811 598.66
L123	31 550.51	2 812 455.42		R123	30 447.24 2 811 288.79
L124	31 537.95	2 812 467.85		R124	30 437.16 2 811 280.06
L125	31 508.98	2 812 466.45		R125	30 389.33 2 811 226.12
L126	31 450.74	2 812 422.13		R126	30 374.77 2 811 220.08
L127	31 430.98	2 812 407.11		R127	30 358.71 2 811 216.98
L128	31 368.36	2 812 351.00		R128	30 349.13 2 811 223.68
L129	31 353.30	2 812 335.27		R129	30 331.79 2 811 200.45
L130	31 297.58	2 812 280.24		R130	30 340.74 2 811 193.78
L131	31 229.03	2 812 208.35		R131	30 346.16 2 811 174.25
L132	31 162.47	2 812 133.64		R132	30 346.36 2 811 157.61
L133	31 098.50	2 812 056.74		R133	30 210.92 2 810 981.50
L134	31 036.02	2 811 976.58		R134	30 158.52 2 810 918.94
L135	30 971.34	2 811 892.51		R135	30 101.09 2 810 860.98
L136	30 943.89	2 811 837.93		R136	30 039.02 2 810 808.00
L137	30 939.72	2 811 822.20		R137	29 972.75 2 810 760.40
L138	30 924.75	2 811 812.73		R138	29 902.73 2 810 718.49
L139	30 901.87	2 811 802.20		R139	29 829.46 2 810 682.57
L140	30 845.63	2 811 729.08		R140	29 753.45 2 810 652.89
L141	30 833.22	2 811 706.21		R141	29 675.23 2 810 629.67
L142	30 711.69	2 811 545.69		R142	29 595.34 2 810 613.05
L143	30 657.03	2 811 473.50		R143	29 514.34 2 810 603.16
L144	30 535.01	2 811 325.24		R144	29 432.80 2 810 600.06
L145	30 467.64	2 811 249.17		R145	29 398.12 2 810 608.37
L146	30 431.48	2 811 202.21		R146	29 376.65 2 810 614.64
L147	30 431.60	2 811 184.85		R147	29 367.76 2 810 614.60
L148	30 437.03	2 811 165.18		R148	29 357.49 2 810 614.54
L149	30 463.32	2 811 135.86		R149	29 327.02 2 810 605.92
L150	30 449.44	2 811 119.67		R150	29 236.59 2 810 598.91
L151	30 419.92	2 811 144.83		R151	29 171.99 2 810 598.54
L152	30 401.14	2 811 141.75		R152	29 009.29 2 810 597.62
L153	30 391.01	2 811 137.22		R153	28 990.97 2 810 599.36

Vel Sheet 22 Van of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L154	30 316.40	2 811 053.05		R154	28 896.45	2 810 604.54
L155	30 242.59	2 810 957.15		R155	28 885.13	2 810 610.41
L156	30 187.58	2 810 891.49		R156	28 876.36	2 810 618.67
L157	30 127.24	2 810 830.69		R157	28 873.93	2 810 620.96
L158	30 061.99	2 810 775.19		R158	28 844.59	2 810 623.68
L159	29 992.30	2 810 725.38		R159	28 840.26	2 810 618.43
L160	29 918.67	2 810 681.61		R160	28 829.56	2 810 605.46
L161	29 841.61	2 810 644.20		R161	28 816.16	2 810 596.53
L162	29 761.68	2 810 613.41		R162	28 796.01	2 810 596.42
L163	29 679.43	2 810 589.45		R163	28 796.12	2 810 607.78
L164	29 595.47	2 810 572.51		R164	28 789.02	2 810 607.85
L165	29 526.64	2 810 564.06		R165	28 781.37	2 810 601.76
L166	29 511.74	2 810 561.86		R166	28 716.94	2 810 595.97
L167	29 477.93	2 810 559.18		R167	28 211.71	2 810 593.12
L168	29 437.85	2 810 558.70		R168	28 206.69	2 810 598.09
L169	29 399.34	2 810 544.82		R169	28 193.69	2 810 598.02
L170	29 385.00	2 810 544.70		R170	28 188.71	2 810 592.99
L171	29 383.80	2 810 545.03		R171	28 155.99	2 810 602.73
L172	29 346.35	2 810 555.54		R172	28 118.00	2 810 602.52
L173	29 311.47	2 810 555.00		R173	28 080.42	2 810 593.69
L174	29 270.61	2 810 559.03		R174	28 074.67	2 810 592.34
L175	28 904.22	2 810 557.00		R175	28 047.98	2 810 599.00
L176	28 889.49	2 810 546.19		R176	28 011.12	2 810 626.15
L177	28 877.44	2 810 530.07		R177	27 990.45	2 810 668.08
L178	28 877.31	2 810 521.79		R178	27 958.40	2 810 662.75
L179	28 871.03	2 810 512.44		R179	27 962.77	2 810 631.76
L180	28 857.91	2 810 512.46		R180	27 962.01	2 810 619.56
L181	28 850.91	2 810 521.76		R181	27 944.28	2 810 597.71
L182	28 850.87	2 810 530.32		R182	27 912.06	2 810 593.03
L183	28 831.00	2 810 548.16		R183	27 901.74	2 810 594.27
L184	28 754.15	2 810 553.11		R184	27 901.43	2 810 600.57
L185	28 743.87	2 810 556.11		R185	27 893.34	2 810 600.17
L186	28 165.88	2 810 552.90		R186	27 888.62	2 810 597.24
L187	28 118.07	2 810 551.43		R187	27 880.51	2 810 597.32
L188	28 107.74	2 810 548.39		R188	27 864.90	2 810 596.11
L189	28 065.62	2 810 549.60		R189	27 846.41	2 810 592.92
L190	28 043.46	2 810 546.38		R190	27 830.72	2 810 591.54
L191	28 027.09	2 810 526.22		R191	27 696.00	2 810 590.80
L192	28 023.93	2 810 485.37		R192	27 629.18	2 810 590.42
L193	27 989.42	2 810 479.49		R193	27 620.77	2 810 599.69
L194	27 967.76	2 810 519.05		R194	27 620.20	2 810 603.98
L195	27 951.26	2 810 538.05		R195	27 610.72	2 810 602.73
L196	27 943.29	2 810 540.08		R196	27 603.84	2 810 601.81
L197	27 898.76	2 810 551.40		R197	27 601.99	2 810 599.25
L198	27 869.38	2 810 544.58		R198	27 595.49	2 810 590.23
L199	27 835.84	2 810 544.39		R199	27 519.86	2 810 589.81
L200	27 834.91	2 810 542.57		R200	27 504.92	2 810 588.16
L201	27 831.83	2 810 536.55		R201	27 413.16	2 810 587.34
L202	27 830.92	2 810 534.77		R202	27 402.71	2 810 591.37
L203	27 812.79	2 810 541.66		R203	27 365.38	2 810 593.80
L204	27 750.76	2 810 550.61		R204	27 341.14	2 810 590.68

Vel Sheet 23 Van of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L205	27 670.63	2 810 550.18		R205	27 321.24 2 810 600.56
L206	27 659.66	2 810 539.09		R206	27 305.97 2 810 615.73
L207	27 649.56	2 810 539.04		R207	27 305.90 2 810 621.96
L208	27 649.50	2 810 550.07		R208	27 305.73 2 810 623.66
L209	27 338.88	2 810 548.42		R209	27 305.55 2 810 625.52
L210	27 323.26	2 810 536.82		R210	27 280.89 2 810 624.90
L211	27 305.80	2 810 514.43		R211	27 280.85 2 810 623.62
L212	27 275.74	2 810 514.40		R212	27 280.57 2 810 615.11
L213	27 275.66	2 810 530.49		R213	27 265.33 2 810 597.28
L214	27 270.10	2 810 536.02		R214	27 250.80 2 810 586.41
L215	27 250.40	2 810 545.75		R215	27 160.03 2 810 585.92
L216	27 226.36	2 810 542.54		R216	27 159.99 2 810 593.52
L217	27 150.45	2 810 547.34		R217	27 151.89 2 810 593.47
L218	26 756.01	2 810 545.00		R218	27 144.34 2 810 585.84
L219	26 423.19	2 810 543.03		R219	26 820.97 2 810 584.12
L220	26 407.54	2 810 519.75		R220	26 776.71 2 810 583.89
L221	26 409.15	2 810 511.92		R221	26 508.63 2 810 582.29
L222	26 411.79	2 810 487.60		R222	26 489.52 2 810 585.75
L223	26 390.98	2 810 482.33		R223	26 409.51 2 810 593.11
L224	26 380.48	2 810 511.05		R224	26 380.45 2 810 612.16
L225	26 342.97	2 810 533.67		R225	26 377.59 2 810 625.36
L226	26 272.28	2 810 538.85		R226	26 355.15 2 810 625.34
L227	26 251.83	2 810 542.01		R227	26 356.28 2 810 606.49
L228	25 866.02	2 810 539.72		R228	26 347.74 2 810 594.00
L229	25 820.18	2 810 533.53		R229	26 335.45 2 810 582.84
L230	25 788.32	2 810 532.80		R230	26 309.69 2 810 582.69
L231	25 781.90	2 810 524.73		R231	26 277.20 2 810 584.15
L232	25 763.68	2 810 524.62		R232	26 156.99 2 810 580.27
L233	25 751.85	2 810 531.10		R233	25 941.86 2 810 579.84
L234	25 716.89	2 810 534.05		R234	25 762.62 2 810 577.67
L235	25 694.02	2 810 533.41		R235	25 726.31 2 810 582.32
L236	25 659.24	2 810 538.85		R236	25 705.50 2 810 581.82
L237	25 362.28	2 810 536.73		R237	25 667.08 2 810 585.03
L238	25 140.52	2 810 536.30		R238	25 654.60 2 810 595.45
L239	25 141.98	2 810 481.55		R239	25 635.74 2 810 595.35
L240	25 127.66	2 810 478.76		R240	25 635.69 2 810 588.60
L241	25 121.12	2 810 495.22		R241	25 624.49 2 810 579.29
L242	25 117.87	2 810 499.38		R242	25 569.30 2 810 578.98
L243	25 115.99	2 810 504.12		R243	25 532.57 2 810 576.78
L244	25 063.89	2 810 529.86		R244	25 229.62 2 810 575.09
L245	25 036.58	2 810 529.69		R245	25 212.09 2 810 578.17
L246	25 002.78	2 810 531.66		R246	25 177.48 2 810 580.71
L247	24 982.60	2 810 535.38		R247	25 136.44 2 810 580.50
L248	24 397.52	2 810 531.96		R248	25 127.17 2 810 588.45
L249	24 381.36	2 810 514.88		R249	25 124.33 2 810 596.98
L250	24 363.93	2 810 514.78		R250	25 123.60 2 810 603.44
L251	24 351.83	2 810 525.71		R251	25 121.99 2 810 608.55
L252	24 333.77	2 810 529.94		R252	25 100.15 2 810 609.06
L253	24 293.17	2 810 529.71		R253	25 059.57 2 810 574.25
L254	24 279.91	2 810 531.12		R254	25 025.47 2 810 574.06
L255	24 216.70	2 810 530.91		R255	24 995.89 2 810 576.86

Vel Sheet 24 Van of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L256	23 871.02	2 810 528.89		R256	24 964.25	2 810 573.72
L257	23 788.48	2 810 525.41		R257	24 701.43	2 810 572.26
L258	23 753.49	2 810 519.21		R258	24 531.43	2 810 571.32
L259	23 745.56	2 810 511.18		R259	24 511.42	2 810 572.40
L260	23 727.60	2 810 511.18		R260	24 477.11	2 810 572.21
L261	23 717.24	2 810 519.88		R261	24 436.91	2 810 576.97
L262	23 673.94	2 810 527.74		R262	24 415.71	2 810 576.21
L263	23 606.13	2 810 527.34		R263	24 376.52	2 810 580.63
L264	23 583.69	2 810 512.23		R264	24 369.21	2 810 588.21
L265	23 522.86	2 810 512.47		R265	24 369.22	2 810 590.44
L266	23 523.00	2 810 526.95		R266	24 349.99	2 810 590.50
L267	23 127.78	2 810 525.59		R267	24 338.10	2 810 579.02
L268	23 122.24	2 810 523.03		R268	24 244.16	2 810 573.12
L269	23 104.54	2 810 504.48		R269	24 203.93	2 810 572.90
L270	23 103.57	2 810 499.05		R270	24 119.26	2 810 572.43
L271	23 082.22	2 810 498.60		R271	24 099.26	2 810 571.42
L272	23 083.24	2 810 506.22		R272	23 906.60	2 810 570.35
L273	23 068.63	2 810 525.52		R273	23 852.88	2 810 573.60
L274	23 039.20	2 810 525.48		R274	23 818.28	2 810 578.80
L275	23 016.63	2 810 519.69		R275	23 805.91	2 810 585.29
L276	22 975.53	2 810 517.47		R276	23 787.97	2 810 585.19
L277	22 929.30	2 810 524.42		R277	23 768.34	2 810 572.45
L278	22 736.90	2 810 521.75		R278	23 716.86	2 810 571.15
L279	22 620.64	2 810 515.07		R279	23 665.53	2 810 567.78
L280	22 602.49	2 810 498.30		R280	23 643.30	2 810 567.74
L281	22 600.89	2 810 496.82		R281	23 553.43	2 810 567.35
L282	22 580.07	2 810 494.48		R282	23 530.82	2 810 577.25
L283	22 577.59	2 810 495.97		R283	23 458.46	2 810 576.94
L284	22 555.91	2 810 508.99		R284	23 433.13	2 810 566.83
L285	22 418.55	2 810 489.89		R285	23 225.51	2 810 565.93
L286	22 282.39	2 810 463.53		R286	23 203.26	2 810 569.30
L287	22 215.38	2 810 446.82		R287	23 172.53	2 810 572.38
L288	22 186.01	2 810 434.39		R288	23 133.29	2 810 578.94
L289	22 148.49	2 810 426.71		R289	23 122.31	2 810 586.00
L290	22 100.02	2 810 412.46		R290	23 109.07	2 810 601.08
L291	21 783.49	2 810 315.88		R291	23 108.82	2 810 643.67
L292	21 760.64	2 810 312.06		R292	23 090.33	2 810 643.76
L293	21 722.21	2 810 300.30		R293	23 090.24	2 810 637.38
L294	21 712.23	2 810 285.93		R294	23 089.89	2 810 630.82
L295	21 703.55	2 810 264.49		R295	23 089.57	2 810 630.66
L296	21 704.54	2 810 256.83		R296	23 084.91	2 810 628.29
L297	21 704.83	2 810 252.08		R297	23 086.60	2 810 622.38
L298	21 706.55	2 810 243.23		R298	23 086.82	2 810 615.65
L299	21 683.66	2 810 233.86		R299	23 083.90	2 810 609.52
L300	21 673.71	2 810 258.16		R300	23 079.33	2 810 603.93
L301	21 671.32	2 810 264.00		R301	23 071.38	2 810 593.41
L302	21 656.07	2 810 271.61		R302	23 065.64	2 810 589.36
L303	21 581.73	2 810 255.01		R303	23 061.23	2 810 584.33
L304	21 563.02	2 810 251.80		R304	23 045.07	2 810 578.65
L305	21 138.08	2 810 122.32		R305	23 037.02	2 810 572.44
L306	21 124.32	2 810 113.56		R306	23 027.68	2 810 568.55

Vel
Sheet25 Van
of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L307	21 119.62	2 810	104.12	R307	22 999.70 2 810 567.92
L308	21 121.27	2 810	099.51	R308	23 000.04 2 810 565.09
L309	21 091.58	2 810	090.45	R309	22 941.58 2 810 564.56
L310	21 083.89	2 810	098.15	R310	22 872.56 2 810 564.20
L311	21 003.09	2 810	076.85	R311	22 862.28 2 810 570.81
L312	20 948.45	2 810	062.45	R312	22 855.21 2 810 570.51
L313	20 940.51	2 810	062.08	R313	22 839.80 2 810 564.03
L314	20 768.54	2 810	009.63	R314	22 751.91 2 810 563.57
L315	20 736.57	2 809	997.33	R315	22 624.16 2 810 555.39
L316	20 696.42	2 809	987.59	R316	22 602.63 2 810 569.03
L317	20 672.51	2 809	980.29	R317	22 601.37 2 810 569.83
L318	20 661.11	2 809	964.45	R318	22 571.37 2 810 567.02
L319	20 653.23	2 809	944.77	R319	22 544.37 2 810 549.17
L320	20 656.03	2 809	930.86	R320	22 504.09 2 810 545.28
L321	20 656.01	2 809	911.56	R321	22 457.69 2 810 537.70
L322	20 637.88	2 809	907.86	R322	22 342.93 2 810 518.18
L323	20 630.27	2 809	925.66	R323	22 290.39 2 810 508.83
L324	20 627.27	2 809	939.15	R324	22 234.59 2 810 497.00
L325	20 611.97	2 809	947.74	R325	22 207.76 2 810 490.82
L326	20 600.25	2 809	950.02	R326	22 202.12 2 810 489.37
L327	20 523.90	2 809	932.44	R327	22 169.12 2 810 480.85
L328	20 496.22	2 809	926.44	R328	22 094.45 2 810 463.99
L329	20 217.52	2 809	841.05	R329	21 966.31 2 810 423.00
L330	20 204.35	2 809	836.16	R330	21 814.36 2 810 372.16
L331	20 157.58	2 809	821.89	R331	21 756.54 2 810 359.27
L332	20 144.83	2 809	801.95	R332	21 705.27 2 810 344.09
L333	20 126.54	2 809	795.71	R333	21 655.76 2 810 354.33
L334	20 109.91	2 809	799.70	R334	21 652.61 2 810 359.23
L335	20 095.19	2 809	799.73	R335	21 636.47 2 810 349.16
L336	20 055.73	2 809	787.94	R336	21 632.73 2 810 346.82
L337	20 041.00	2 809	787.07	R337	21 637.98 2 810 336.58
L338	19 123.31	2 809	506.39	R338	21 636.46 2 810 328.33
L339	19 115.94	2 809	484.11	R339	21 631.56 2 810 316.51
L340	19 117.82	2 809	480.52	R340	21 628.81 2 810 313.87
L341	19 136.54	2 809	445.91	R341	21 214.44 2 810 187.48
L342	19 122.44	2 809	437.28	R342	21 178.03 2 810 181.28
L343	19 118.46	2 809	443.14	R343	21 154.26 2 810 173.12
L344	19 096.53	2 809	469.36	R344	21 124.08 2 810 166.77
L345	19 048.04	2 809	477.21	R345	21 111.25 2 810 166.30
L346	18 972.45	2 809	459.49	R346	21 102.82 2 810 170.62
L347	18 840.90	2 809	414.89	R347	21 085.87 2 810 165.45
L348	18 618.82	2 809	347.13	R348	21 080.14 2 810 151.74
L349	18 586.78	2 809	335.22	R349	21 040.75 2 810 134.41
L350	18 540.01	2 809	320.95	R350	20 820.81 2 810 067.44
L351	18 527.80	2 809	300.77	R351	20 696.92 2 810 041.26
L352	18 509.08	2 809	295.06	R352	20 669.22 2 810 040.58
L353	18 477.52	2 809	298.76	R353	20 643.71 2 810 032.90
L354	18 438.16	2 809	287.00	R354	20 640.84 2 810 032.03
L355	18 417.77	2 809	285.79	R355	20 630.90 2 810 035.31
L356	18 016.97	2 809	163.50	R356	20 611.52 2 810 076.44
L357	17 979.00	2 809	146.58	R357	20 587.61 2 810 069.15

Vel Sheet 26 Van of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L358	17 913.17	2 809 126.70		R358	20 589.35 2 810 030.99
L359	17 780.10	2 809 086.51		R359	20 577.80 2 810 008.75
L360	17 722.88	2 809 073.77		R360	20 490.27 2 809 980.71
L361	17 567.91	2 809 026.48		R361	20 260.66 2 809 910.86
L362	17 470.42	2 808 995.79		R362	20 153.41 2 809 877.71
L363	17 362.73	2 808 963.55		R363	20 111.62 2 809 869.71
L364	17 205.12	2 808 922.07		R364	20 106.59 2 809 868.47
L365	17 170.62	2 808 911.59		R365	19 982.52 2 809 829.13
L366	17 157.17	2 808 898.82		R366	19 954.15 2 809 819.46
L367	17 147.36	2 808 877.60		R367	19 896.76 2 809 801.80
L368	17 161.27	2 808 832.71		R368	19 877.88 2 809 795.11
L369	17 122.09	2 808 820.56		R369	19 782.51 2 809 765.14
L370	17 104.30	2 808 874.52		R370	19 763.70 2 809 758.89
L371	17 080.41	2 808 878.45		R371	19 744.50 2 809 753.40
L372	17 008.09	2 808 862.02		R372	19 706.22 2 809 741.73
L373	16 912.12	2 808 832.75		R373	19 614.50 2 809 714.55
L374	16 862.54	2 808 817.61		R374	19 505.06 2 809 681.08
L375	16 840.48	2 808 807.09		R375	19 400.13 2 809 648.29
L376	16 821.35	2 808 801.26		R376	19 323.86 2 809 624.88
L377	16 797.23	2 808 797.68		R377	19 246.73 2 809 603.88
L378	16 502.39	2 808 707.74		R378	19 111.77 2 809 565.54
L379	16 472.53	2 808 686.28		R379	19 085.25 2 809 558.23
L380	16 467.33	2 808 670.88		R380	19 055.22 2 809 556.37
L381	16 448.21	2 808 665.03		R381	19 050.80 2 809 558.59
L382	16 435.28	2 808 674.84		R382	19 037.54 2 809 565.26
L383	16 407.58	2 808 674.54		R383	19 025.22 2 809 577.05
L384	16 378.11	2 808 665.35		R384	19 010.24 2 809 562.59
L385	16 352.03	2 808 661.77		R385	19 018.11 2 809 554.57
L386	16 321.73	2 808 652.52		R386	19 025.20 2 809 539.13
L387	15 745.54	2 808 475.80		R387	19 015.91 2 809 536.14
L388	15 737.89	2 808 464.25		R388	18 958.74 2 809 517.42
L389	15 728.07	2 808 442.16		R389	18 921.19 2 809 501.57
L390	15 729.81	2 808 416.82		R390	18 898.45 2 809 491.17
L391	15 732.15	2 808 406.88		R391	18 846.62 2 809 475.76
L392	15 716.46	2 808 403.74		R392	18 827.77 2 809 468.95
L393	15 713.63	2 808 415.72		R393	18 713.11 2 809 434.06
L394	15 702.40	2 808 437.55		R394	18 617.16 2 809 405.59
L395	15 675.55	2 808 444.20		R395	18 540.91 2 809 381.28
L396	15 587.94	2 808 420.58		R396	18 483.55 2 809 363.86
L397	15 571.20	2 808 414.10		R397	18 445.11 2 809 352.88
L398	15 471.05	2 808 368.83		R398	18 406.77 2 809 341.22
L399	15 377.10	2 808 319.92		R399	18 349.67 2 809 322.83
L400	15 373.56	2 808 318.09		R400	18 273.17 2 809 299.33
L401	15 266.47	2 808 254.03		R401	18 254.16 2 809 293.05
L402	15 163.62	2 808 183.37		R402	18 158.53 2 809 263.77
L403	15 065.41	2 808 106.39		R403	18 139.58 2 809 257.28
L404	14 972.23	2 808 023.39		R404	18 101.53 2 809 245.31
L405	14 963.02	2 808 014.08		R405	18 082.29 2 809 239.86
L406	14 962.21	2 808 002.64		R406	18 043.92 2 809 227.61
L407	14 967.82	2 807 989.73		R407	17 912.91 2 809 188.49
L408	14 975.21	2 807 985.46		R408	17 843.18 2 809 167.67

Vel
Sheet 27 Van
of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L409	14 982.56	2 807 978.58	R409	17 833.53	2 809 155.92
L410	14 973.04	2 807 962.33	R410	17 420.36	2 809 031.09
L411	14 962.02	2 807 962.59	R411	17 324.64	2 809 002.17
L412	14 955.04	2 807 966.62	R412	17 228.91	2 808 973.25
L413	14 914.37	2 807 952.38	R413	17 147.59	2 808 954.25
L414	14 844.37	2 807 888.76	R414	17 133.39	2 808 956.91
L415	14 842.88	2 807 887.05	R415	17 117.51	2 808 963.94
L416	14 837.07	2 807 878.62	R416	17 105.62	2 808 996.62
L417	14 794.25	2 807 830.09	R417	17 081.73	2 808 989.19
L418	14 768.91	2 807 799.11	R418	17 088.89	2 808 956.05
L419	14 676.19	2 807 694.04	R419	17 082.80	2 808 937.60
L420	14 662.20	2 807 679.70	R420	17 075.37	2 808 926.93
L421	14 529.94	2 807 529.83	R421	16 884.23	2 808 867.82
L422	14 444.23	2 807 431.95	R422	16 752.69	2 808 827.19
L423	14 409.86	2 807 396.20	R423	16 728.10	2 808 822.11
L424	14 305.29	2 807 277.65	R424	16 708.97	2 808 816.27
L425	14 272.53	2 807 233.21	R425	16 685.81	2 808 806.53
L426	14 259.25	2 807 215.20	R426	16 486.36	2 808 744.92
L427	14 254.06	2 807 194.23	R427	16 467.91	2 808 742.51
L428	14 283.60	2 807 146.68	R428	16 421.12	2 808 731.16
L429	14 296.95	2 807 126.88	R429	16 385.82	2 808 713.98
L430	14 279.19	2 807 114.90	R430	16 348.02	2 808 702.45
L431	14 216.41	2 807 172.15	R431	16 309.20	2 808 692.59
L432	14 187.52	2 807 139.41	R432	16 245.64	2 808 672.21
L433	14 161.38	2 807 114.50	R433	16 174.86	2 808 653.19
L434	14 030.10	2 806 965.67	R434	16 027.32	2 808 607.89
L435	13 855.51	2 806 767.73	R435	15 812.84	2 808 541.08
L436	13 768.91	2 806 671.09	R436	15 797.69	2 808 538.48
L437	13 748.18	2 806 644.73	R437	15 726.24	2 808 521.58
L438	13 709.05	2 806 604.30	R438	15 703.65	2 808 532.81
L439	13 711.93	2 806 573.23	R439	15 699.15	2 808 545.51
L440	13 732.57	2 806 549.79	R440	15 695.34	2 808 564.72
L441	13 717.71	2 806 529.78	R441	15 670.64	2 808 560.73
L442	13 692.59	2 806 548.44	R442	15 674.78	2 808 539.89
L443	13 662.53	2 806 541.51	R443	15 675.59	2 808 528.06
L444	13 591.50	2 806 468.57	R444	15 652.22	2 808 488.29
L445	13 496.71	2 806 361.40	R445	15 645.94	2 808 486.29
L446	13 290.64	2 806 127.88	R446	15 621.64	2 808 476.73
L447	13 269.27	2 806 100.52	R447	15 597.31	2 808 471.09
L448	13 250.73	2 806 078.90	R448	15 444.72	2 808 401.38
L449	13 227.86	2 806 047.52	R449	15 393.22	2 808 375.54
L450	13 223.39	2 806 032.85	R450	15 364.42	2 808 359.16
L451	13 224.06	2 806 027.83	R451	15 363.27	2 808 358.51
L452	13 228.33	2 806 022.84	R452	15 360.52	2 808 356.66
L453	13 218.27	2 806 011.47	R453	15 359.62	2 808 356.05
L454	13 211.65	2 806 013.80	R454	15 289.74	2 808 314.61
L455	13 200.98	2 806 013.43	R455	15 240.24	2 808 285.33
L456	13 185.20	2 806 002.49	R456	15 158.21	2 808 230.57
L457	13 133.89	2 805 942.66	R457	15 111.40	2 808 193.12
L458	13 049.65	2 805 849.64	R458	15 046.84	2 808 142.97
L459	12 967.79	2 805 756.53	R459	15 029.61	2 808 127.77

Vel 28 Van 34
Sheet of

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES						
LINKERKANT/LEFT HAND SIDE				REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°		Y	X
L460	12 949.98	2 805 739.43		R460	15 009.62	2 808 114.13
L461	12 753.47	2 805 516.75		R461	14 978.97	2 808 087.57
L462	12 725.01	2 805 477.70		R462	14 923.95	2 808 041.74
L463	12 720.54	2 805 463.03		R463	14 910.56	2 808 037.60
L464	12 721.21	2 805 458.01		R464	14 890.88	2 808 036.02
L465	12 725.48	2 805 453.02		R465	14 884.97	2 808 041.61
L466	12 715.42	2 805 441.64		R466	14 876.41	2 808 046.79
L467	12 708.80	2 805 443.98		R467	14 863.17	2 808 033.39
L468	12 698.13	2 805 443.61		R468	14 866.45	2 808 022.79
L469	12 681.95	2 805 432.39		R469	14 872.50	2 808 016.88
L470	12 669.99	2 805 420.15		R470	14 876.35	2 807 997.76
L471	12 648.21	2 805 395.35		R471	14 874.89	2 807 982.18
L472	12 636.82	2 805 384.57		R472	14 862.28	2 807 969.57
L473	12 439.04	2 805 160.45		R473	14 849.13	2 807 954.66
L474	12 385.23	2 805 100.24		R474	14 836.45	2 807 945.66
L475	12 369.88	2 805 082.84		R475	14 819.05	2 807 926.21
L476	12 345.13	2 805 054.80		R476	14 396.96	2 807 447.90
L477	12 197.27	2 804 887.30		R477	14 368.24	2 807 408.92
L478	12 203.91	2 804 854.33		R478	14 301.78	2 807 333.49
L479	12 217.16	2 804 842.53		R479	14 249.15	2 807 281.32
L480	12 197.26	2 804 820.08		R480	14 239.50	2 807 270.93
L481	12 180.28	2 804 835.19		R481	14 202.04	2 807 230.61
L482	12 155.97	2 804 833.19		R482	14 178.67	2 807 204.13
L483	12 100.39	2 804 777.54		R483	14 150.87	2 807 184.96
L484	12 075.48	2 804 749.32		R484	14 147.80	2 807 187.29
L485	11 993.98	2 804 656.99		R485	14 135.74	2 807 171.34
L486	11 851.13	2 804 495.28		R486	14 121.50	2 807 135.75
L487	11 816.29	2 804 457.18		R487	14 000.78	2 806 998.95
L488	11 749.94	2 804 384.63		R488	13 926.77	2 806 915.08
L489	11 680.35	2 804 315.53		R489	13 715.18	2 806 675.31
L490	11 607.51	2 804 249.86		R490	13 661.89	2 806 626.06
L491	11 531.61	2 804 187.76		R491	13 644.28	2 806 620.15
L492	11 433.65	2 804 116.55		R492	13 612.97	2 806 643.40
L493	11 331.77	2 804 051.09		R493	13 597.49	2 806 622.56
L494	11 302.58	2 804 034.61		R494	13 622.29	2 806 597.93
L495	11 294.71	2 804 029.10		R495	13 619.05	2 806 563.36
L496	11 234.99	2 803 989.00		R496	13 544.43	2 806 478.79
L497	11 151.61	2 803 940.63		R497	13 528.72	2 806 458.06
L498	11 130.65	2 803 917.07		R498	13 480.35	2 806 403.24
L499	11 130.67	2 803 881.93		R499	13 256.47	2 806 149.52
L500	11 104.90	2 803 866.56		R500	13 225.33	2 806 117.15
L501	11 074.78	2 803 886.37		R501	13 176.93	2 806 063.71
L502	11 042.01	2 803 882.45		R502	13 155.09	2 806 038.97
L503	11 005.14	2 803 863.21		R503	13 143.19	2 806 026.68
L504	10 960.84	2 803 845.47		R504	13 127.01	2 806 015.46
L505	10 742.81	2 803 725.47		R505	13 116.34	2 806 015.09
L506	10 655.42	2 803 677.37		R506	13 109.72	2 806 017.42
L507	10 572.40	2 803 626.98		R507	13 099.66	2 806 006.04
L508	10 485.12	2 803 578.11		R508	13 103.93	2 806 001.06
L509	10 433.80	2 803 555.39		R509	13 104.60	2 805 996.04
L510	10 338.62	2 803 503.01		R510	13 100.13	2 805 981.37

Vel Sheet 29 Van of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L511	10 324.88	2 803 493.16	R511	13 087.45	2 805 963.97
L512	10 279.58	2 803 468.05	R512	13 058.31	2 805 931.59
L513	10 201.52	2 803 425.24	R513	12 898.17	2 805 743.47
L514	10 185.51	2 803 418.73	R514	12 697.67	2 805 516.24
L515	10 175.07	2 803 378.09	R515	12 674.08	2 805 493.89
L516	10 198.68	2 803 334.29	R516	12 652.25	2 805 469.15
L517	10 171.39	2 803 319.58	R517	12 640.34	2 805 456.85
L518	10 147.78	2 803 363.38	R518	12 624.16	2 805 445.64
L519	10 109.99	2 803 370.79	R519	12 613.49	2 805 445.27
L520	10 001.48	2 803 317.42	R520	12 606.87	2 805 447.60
L521	9 890.74	2 803 256.46	R521	12 596.81	2 805 436.22
L522	9 369.95	2 802 969.61	R522	12 601.08	2 805 431.24
L523	9 368.65	2 802 968.90	R523	12 601.75	2 805 426.22
L524	9 157.45	2 802 852.57	R524	12 597.28	2 805 411.54
L525	9 143.84	2 802 845.00	R525	12 559.28	2 805 359.40
L526	9 129.00	2 802 801.78	R526	12 229.13	2 804 985.24
L527	9 111.06	2 802 792.90	R527	12 161.44	2 804 916.05
L528	9 072.21	2 802 796.90	R528	12 136.16	2 804 914.26
L529	9 046.83	2 802 782.73	R529	12 119.22	2 804 929.20
L530	8 980.40	2 802 745.62	R530	12 099.37	2 804 906.71
L531	8 978.69	2 802 738.15	R531	12 112.84	2 804 894.83
L532	8 953.29	2 802 722.19	R532	12 117.26	2 804 862.99
L533	8 941.52	2 802 724.87	R533	12 066.52	2 804 800.96
L534	8 939.47	2 802 725.34	R534	11 777.90	2 804 473.88
L535	8 933.31	2 802 721.56	R535	11 706.46	2 804 397.96
L536	8 825.69	2 802 648.92	R536	11 670.79	2 804 369.77
L537	8 721.30	2 802 571.70	R537	11 497.11	2 804 224.37
L538	8 635.95	2 802 502.67	R538	11 442.31	2 804 179.01
L539	8 643.39	2 802 482.60	R539	11 326.33	2 804 101.48
L540	8 640.66	2 802 478.05	R540	11 246.97	2 804 049.15
L541	8 634.85	2 802 468.35	R541	11 207.32	2 804 026.79
L542	8 625.67	2 802 473.85	R542	11 202.43	2 804 024.10
L543	8 606.18	2 802 468.05	R543	11 152.52	2 804 003.53
L544	8 578.69	2 802 449.71	R544	11 114.59	2 803 983.27
L545	8 564.09	2 802 436.77	R545	11 060.20	2 803 945.84
L546	8 548.08	2 802 425.62	R546	10 728.26	2 803 763.18
L547	8 510.27	2 802 392.29	R547	10 636.05	2 803 712.42
L548	8 448.69	2 802 337.20	R548	10 545.36	2 803 674.81
L549	8 333.81	2 802 221.90	R549	10 458.28	2 803 625.59
L550	8 325.15	2 802 213.21	R550	10 414.01	2 803 590.18
L551	8 331.99	2 802 176.95	R551	10 272.91	2 803 512.53
L552	8 322.33	2 802 165.47	R552	10 164.13	2 803 458.67
L553	8 258.00	2 802 156.74	R553	10 130.26	2 803 459.26
L554	8 215.63	2 802 118.67	R554	10 102.71	2 803 443.58
L555	8 156.79	2 802 075.23	R555	10 089.84	2 803 411.76
L556	8 016.86	2 801 950.14	R556	9 925.75	2 803 321.43
L557	7 897.80	2 801 843.44	R557	9 882.65	2 803 297.71
L558	7 872.87	2 801 821.09	R558	9 882.08	2 803 297.39
L559	7 804.94	2 801 755.43	R559	9 330.90	2 802 994.04
L560	7 779.55	2 801 731.49	R560	9 329.66	2 802 993.36
L561	7 762.38	2 801 697.71	R561	9 227.09	2 802 936.90

Vel
Sheet30 Van
of 34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L562	7 748.13	2 801 683.64		R562	9 112.22 2 802 881.66
L563	7 712.07	2 801 671.41		R563	9 098.66 2 802 881.32
L564	7 688.29	2 801 650.05		R564	9 080.90 2 802 886.51
L565	7 651.86	2 801 617.85		R565	9 057.54 2 802 874.15
L566	7 638.85	2 801 606.25		R566	9 052.98 2 802 851.88
L567	7 585.82	2 801 560.76		R567	9 046.30 2 802 836.32
L568	7 558.82	2 801 537.61		R568	9 005.66 2 802 813.34
L569	7 417.32	2 801 424.08		R569	8 895.49 2 802 744.71
L570	7 316.40	2 801 348.10		R570	8 788.35 2 802 671.45
L571	7 297.54	2 801 333.90		R571	8 684.42 2 802 593.69
L572	7 167.89	2 801 241.57		R572	8 627.68 2 802 547.34
L573	7 065.37	2 801 174.32		R573	8 595.65 2 802 525.07
L574	7 057.16	2 801 140.01		R574	8 581.35 2 802 513.08
L575	7 061.58	2 801 131.81		R575	8 580.13 2 802 512.06
L576	7 038.37	2 801 119.22		R576	8 536.35 2 802 488.39
L577	7 034.59	2 801 125.90		R577	8 521.30 2 802 475.23
L578	7 014.92	2 801 129.91		R578	8 497.99 2 802 435.55
L579	7 002.91	2 801 128.92		R579	8 419.02 2 802 364.62
L580	6 942.55	2 801 091.84		R580	8 339.22 2 802 297.60
L581	6 916.81	2 801 081.01		R581	8 327.21 2 802 286.60
L582	6 673.81	2 800 928.50		R582	8 294.81 2 802 261.35
L583	6 471.01	2 800 801.22		R583	8 284.01 2 802 252.93
L584	6 435.55	2 800 775.41		R584	8 237.07 2 802 242.52
L585	6 273.09	2 800 673.41		R585	8 203.05 2 802 277.06
L586	6 241.20	2 800 659.31		R586	8 185.43 2 802 259.63
L587	5 974.76	2 800 492.04		R587	8 219.39 2 802 225.28
L588	5 963.13	2 800 449.99		R588	8 225.45 2 802 190.76
L589	5 979.66	2 800 414.87		R589	7 984.59 2 801 974.40
L590	5 956.18	2 800 403.83		R590	7 896.54 2 801 895.31
L591	5 938.68	2 800 441.17		R591	7 737.64 2 801 752.58
L592	5 916.88	2 800 447.69		R592	7 713.90 2 801 734.71
L593	5 809.49	2 800 388.28		R593	7 696.27 2 801 718.87
L594	5 685.76	2 800 310.47		R594	7 652.78 2 801 699.96
L595	5 612.90	2 800 264.77		R595	7 638.67 2 801 685.74
L596	5 487.62	2 800 186.15		R596	7 613.85 2 801 642.62
L597	5 408.13	2 800 136.45		R597	7 497.94 2 801 543.46
L598	5 377.00	2 800 099.22		R598	7 348.46 2 801 425.19
L599	5 381.59	2 800 090.72		R599	7 194.56 2 801 312.74
L600	5 360.18	2 800 077.74		R600	7 115.76 2 801 259.73
L601	5 355.86	2 800 085.95		R601	7 095.72 2 801 248.78
L602	5 310.89	2 800 075.29		R602	7 032.26 2 801 212.98
L603	4 988.48	2 799 872.88		R603	7 005.33 2 801 214.97
L604	4 871.30	2 799 796.57		R604	6 998.69 2 801 224.03
L605	4 850.51	2 799 782.22		R605	6 974.50 2 801 206.29
L606	4 821.98	2 799 755.45		R606	6 978.10 2 801 201.38
L607	4 772.89	2 799 717.49		R607	6 972.42 2 801 165.46
L608	4 711.11	2 799 673.52		R608	6 473.32 2 800 852.32
L609	4 705.71	2 799 648.01		R609	6 400.69 2 800 830.93
L610	4 720.93	2 799 625.04		R610	6 249.48 2 800 736.46
L611	4 700.47	2 799 610.67		R611	6 236.04 2 800 728.07
L612	4 684.99	2 799 634.03		R612	6 191.41 2 800 678.42

Vel
Sheet

31

Van
of

34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L613	4 662.49	2 799 634.98	R613	6 136.85	2 800 643.58
L614	4 553.21	2 799 563.25	R614	5 997.66	2 800 559.74
L615	4 500.11	2 799 521.14	R615	5 952.56	2 800 532.57
L616	4 360.43	2 799 403.33	R616	5 924.66	2 800 539.00
L617	4 341.56	2 799 386.41	R617	5 921.51	2 800 544.42
L618	4 315.86	2 799 354.64	R618	5 902.07	2 800 575.54
L619	4 274.86	2 799 316.39	R619	5 868.12	2 800 554.36
L620	4 252.39	2 799 274.90	R620	5 887.58	2 800 523.21
L621	4 240.51	2 799 263.81	R621	5 890.75	2 800 517.78
L622	4 197.22	2 799 243.93	R622	5 883.78	2 800 487.57
L623	4 155.16	2 799 204.67	R623	5 878.95	2 800 482.86
L624	4 120.05	2 799 181.66	R624	5 839.85	2 800 457.76
L625	4 092.25	2 799 155.11	R625	5 825.18	2 800 448.71
L626	3 891.68	2 798 967.36	R626	5 803.83	2 800 433.62
L627	3 866.18	2 798 935.78	R627	5 798.39	2 800 428.91
L628	3 789.96	2 798 860.90	R628	5 750.44	2 800 398.80
L629	3 774.82	2 798 826.15	R629	5 745.85	2 800 399.78
L630	3 803.10	2 798 789.87	R630	5 744.34	2 800 400.10
L631	3 781.49	2 798 768.90	R631	5 727.26	2 800 389.38
L632	3 745.29	2 798 797.32	R632	5 725.88	2 800 383.37
L633	3 701.96	2 798 778.40	R633	5 616.60	2 800 314.72
L634	3 585.10	2 798 680.41	R634	5 498.64	2 800 240.61
L635	3 535.74	2 798 634.21	R635	5 428.23	2 800 205.55
L636	3 385.32	2 798 499.01	R636	5 364.02	2 800 164.59
L637	3 230.08	2 798 369.35	R637	5 338.11	2 800 165.72
L638	3 070.24	2 798 245.42	R638	5 309.45	2 800 148.16
L639	2 906.02	2 798 127.36	R639	5 304.69	2 800 127.48
L640	2 809.88	2 798 058.90	R640	5 241.86	2 800 088.66
L641	2 677.83	2 797 964.87	R641	5 188.50	2 800 045.77
L642	2 588.85	2 797 899.42	R642	4 978.43	2 799 913.80
L643	2 430.88	2 797 789.01	R643	4 856.38	2 799 834.72
L644	1 866.93	2 797 387.40	R644	4 836.28	2 799 822.15
L645	1 747.19	2 797 291.87	R645	4 716.29	2 799 747.17
L646	1 638.00	2 797 184.45	R646	4 679.64	2 799 724.26
L647	1 540.54	2 797 066.29	R647	4 650.05	2 799 731.06
L648	1 493.18	2 797 005.44	R648	4 631.97	2 799 760.15
L649	1 403.50	2 796 887.99	R649	4 610.66	2 799 746.90
L650	1 382.18	2 796 849.61	R650	4 628.82	2 799 717.86
L651	1 356.56	2 796 815.06	R651	4 615.37	2 799 672.51
L652	1 331.57	2 796 793.81	R652	4 517.23	2 799 597.52
L653	1 198.21	2 796 619.23	R653	4 445.63	2 799 527.78
L654	1 086.05	2 796 472.42	R654	4 338.11	2 799 436.93
L655	916.22	2 796 250.12	R655	4 314.14	2 799 415.48
L656	833.72	2 796 146.60	R656	4 279.65	2 799 394.50
L657	745.73	2 796 047.71	R657	4 179.75	2 799 301.41
L658	652.49	2 795 953.74	R658	4 141.79	2 799 276.91
L659	554.29	2 795 864.97	R659	4 127.13	2 799 263.30
L660	451.42	2 795 781.67	R660	4 094.62	2 799 212.79
L661	344.17	2 795 704.07	R661	4 071.49	2 799 190.79
L662	240.81	2 795 637.25	R662	3 863.03	2 798 995.57
L663	134.21	2 795 575.72	R663	3 750.30	2 798 907.33

Vel
Sheet

32

Van
of

34

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES					
LINKERKANT/LEFT HAND SIDE			REGTERKANT/RIGHT HAND SIDE		
	Y	X	WG 29°	Y	X
L664	24.63	2 795	519.66	R664	3 736.13 2 798 894.04
L665	- 87.64	2 795	469.20	R665	3 719.50 2 798 890.38
L666	- 153.67	2 795	439.34	R666	3 675.34 2 798 852.00
L667	- 218.19	2 795	406.35	R667	3 671.64 2 798 826.74
L668	- 312.79	2 795	350.53	R668	3 626.78 2 798 784.68
L669	- 403.09	2 795	287.96	R669	3 583.25 2 798 740.45
L670	- 488.59	2 795	218.99	R670	3 557.28 2 798 709.68
L671	- 756.10	2 794	987.22	R671	3 412.07 2 798 575.71
L672	- 772.93	2 794	967.56	R672	3 284.66 2 798 465.86
L673	- 830.82	2 794	916.12	R673	3 153.98 2 798 359.94
L674	- 863.87	2 794	893.86	R674	3 020.14 2 798 258.04
L675	- 879.46	2 794	880.34	R675	2 970.90 2 798 222.88
L676	-1 009.37	2 794	767.80	R676	2 946.63 2 798 208.98
L677	-1 031.12	2 794	740.74	R677	2 930.51 2 798 197.32
L678	-1 103.96	2 794	682.24	R678	2 898.81 2 798 180.61
L679	-1 141.73	2 794	653.12	R679	2 880.73 2 798 178.34
L680	-1 352.97	2 794	470.10	R680	2 867.31 2 798 168.60
L681	-1 845.08	2 794	043.73	R681	2 863.64 2 798 155.01
L682	-1 911.15	2 793	986.84	R682	2 824.49 2 798 118.21
L683	-1 982.56	2 793	936.81	R683	2 815.52 2 798 111.80
L684	-2 058.59	2 793	894.14	R684	1 837.39 2 797 415.55
L685	-2 130.44	2 793	862.35	R685	1 727.16 2 797 327.33
L686	-2 204.85	2 793	837.14	R686	1 624.89 2 797 230.00
L687	-2 281.23	2 793	818.72	R687	1 575.26 2 797 174.09
L688	-2 622.92	2 793	737.57	R688	1 510.40 2 797 093.87
L689	-2 935.10	2 793	663.44	R689	1 462.13 2 797 030.67
L690	-3 015.36	2 793	639.73	R690	1 430.09 2 797 002.75
L691	-3 093.31	2 793	609.27	R691	1 387.81 2 796 950.19
L692	-3 168.39	2 793	572.30	R692	1 375.00 2 796 941.21
L693	-3 240.06	2 793	529.08	R693	1 350.52 2 796 909.19
L694	-3 307.79	2 793	479.92	R694	1 342.31 2 796 884.45
				R695	1 300.70 2 796 830.00
				R696	1 196.61 2 796 683.10
				R697	1 162.66 2 796 638.67
				R698	901.47 2 796 297.31
				R699	819.65 2 796 192.19
				R700	732.11 2 796 091.79
				R701	639.13 2 795 996.39
				R702	540.99 2 795 906.32
				R703	438.00 2 795 821.83
				R704	330.48 2 795 743.19
				R705	226.82 2 795 675.59
				R706	119.81 2 795 613.43
				R707	9.74 2 795 556.88
				R708	- 103.24 2 795 506.03
				R709	- 172.78 2 795 474.53
				R710	- 240.70 2 795 439.64
				R711	- 336.57 2 795 382.80
				R712	- 428.10 2 795 319.21
				R713	- 514.82 2 795 249.19
				R714	- 680.42 2 795 105.73

Vel 33 Van 34
Sheet of

P1013/17

PADRESERWE KOÖRDINATE / ROAD RESERVE CO-ORDINATES				
LINKERKANT/LEFT HAND SIDE		REGTERKANT/RIGHT HAND SIDE		
Y	X	WG 29°	Y	X
			R715	- 797.96 2 795 003.90
			R716	- 815.83 2 794 990.57
			R717	- 870.37 2 794 943.20
			R718	- 879.33 2 794 933.42
			R719	-1 066.11 2 794 771.61
			R720	-1 069.22 2 794 769.33
			R721	-1 082.67 2 794 759.43
			R722	-1 118.34 2 794 726.37
			R723	-1 521.64 2 794 376.99
			R724	-1 872.73 2 794 072.85
			R725	-1 942.19 2 794 017.39
			R726	-2 017.86 2 793 967.73
			R727	-2 097.79 2 793 925.27
			R728	-2 160.39 2 793 898.27
			R729	-2 224.72 2 793 875.68
			R730	-2 290.47 2 793 857.63
			R731	-2 719.53 2 793 755.74
			R732	-2 944.79 2 793 702.25
			R733	-3 018.95 2 793 680.73
			R734	-3 091.27 2 793 653.67
			R735	-3 161.35 2 793 621.24
			R736	-3 228.78 2 793 583.62
			R737	-3 293.04 2 793 541.12

Vel Sheet	34	Van of	34	P1013/17
--------------	----	-----------	----	----------

